

MT516	H1	5.5	3200	856	923	377	261	50	45	18.5	80	380	618 680 ⁽²⁾	325	53.5 118 ⁽²⁾	57.5	128.5	50	172 226 ⁽¹⁾	800	34	M20	17
	H2	9		976	1043	437	381	110	45														
	H3	12		1086	1153	492	491	115	95														
	H4	18		1306	1373	602	711	225	95														
	H5	25		1526	1593	712	931	335	95	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	212 257 ⁽¹⁾	800	38	M24	21	
	H6	32		1640	1728	762	978	355	90														
	H7	38		1815	1903	850	1153	443	90														
	H8	43		1955	2043	920	1293	513	90														
	H9	49		2125	2213	1005	1463	598	90														

Тип	Полиспаст 2/1			Размеры, mm																				
	Высота подъема, m	Грузоподъем- ность, kg	Скорость подъема, m/min				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2
			8	12	8/2	12/2																		
			L1																					
MT625	H1	4.5	5000	905	993	395	243	40	38	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	56	212 257 ⁽¹⁾	890	37	M24	21	
	H2	8		1010	1098	448	348	92	38															
	H3	11		1115	1203	500	453	95	88															
	H4	17		1325	1413	605	663	200	88															
	H5	23		1535	1623	710	873	305	88															
	H6	30		1815	1903	850	1153	445	88															
	H7	35		1955	2043	920	1293	515	88															
	H8	40		2125	2213	1005	1463	600	88															
	H9	46		2253	2288	1067	1513	578	128															
	H10	54		2503	2538	1192	1763	703	128	25.5	100	540	880 960 ⁽²⁾	475	80.5 165 ⁽²⁾	84.5	186.5	266	890	56	M27	25		
	H11	60		2693	2728	1287	1953	798	128															
MT740	H2	8	8000	1133	1168	507	393	68	78	25.5	100	540	880 960 ⁽²⁾	475	80.5 165 ⁽²⁾	84.5	186.5	71	266	1080	56	M27	25	
	H3	12		1293	1328	587	553	148	78															
	H4	17		1453	1488	667	713	178	128															
	H5	23		1668	1703	775	928	285	128															
	H6	29		1883	1918	882	1143	392	128															
	H7	35		2093	2128	987	1353	498	128															
	H8	40		2253	2288	1067	1513	578	128															
	H9	47		2503	2538	1192	1763	703	128															
	H10	52		2693	2728	1287	1953	798	128															
	MT750	H2		8	10000	1168	1174	507	393															68
H3		12	1328	1334		587	553	148	78															
H4		17	1488	1494		667	713	178	128															
H5		23	1703	1709		775	928	285	128															
H6		29	1918	1924		882	1143	392	128															
H7		35	2128	2134		987	1353	498	128															
H8		40	2288	2294		1067	1513	578	128															
H9		47	2538	2544		1192	1763	703	128															
H10		52	2728	2734		1287	1953	798	128															

Тип	Полиспаст 2/1			Размеры, mm																					
	Высота подъема, m		Грузоподъем- ность, kg	Скорость подъема, m/min				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2
				6	9	6/1.5	9/1.5																		
				L1																					
MT763	H2	8	12500	1233	1239	572	393	68	78	25.5	100	548	888 968 ⁽²⁾	475	84.5 165 ⁽²⁾	88.5	186.5	71	266	1080	56	M27	25		
	H3	12		1393	1399	652	553	148	78																
	H4	17		1553	1559	732	713	178	128																
	H5	23		1768	1774	840	928	285	128																
	H6	29		1983	1989	947	1143	392	128																
	H7	35		2193	2199	1052	1353	498	128																
	H8	40		2353	2359	1132	1513	578	128																
	H9	47		2603	2609	1257	1763	703	128																
	H10	52		2793	2799	1352	1953	798	128																

Тип	Полиспаст 2/1			Размеры, mm																					
	Высота подъема, m		Грузоподъем- ность, kg	Скорость подъема, m/min				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2
				4	6	4/1	6/1																		
				L1																					
MT780	H3	12	16000	1437	1443	652	553	148	78	25.5	100	556	892 972 ⁽²⁾	475	88.5 165 ⁽²⁾	92.5	186.5	71	266	1080	56	M27	25		
	H4	17		1597	1603	732	713	178	128																
	H5	23		1812	1818	840	928	285	128																
	H6	29		2027	2033	947	1143	392	128																
	H7	35		2237	2243	1052	1353	498	128																
	H8	40		2397	2403	1132	1513	578	128																
	H9	47		2647	2653	1257	1763	703	128																
	H10	52		2837	-	1352	1953	798	128																

Тип	Полиспаст 2/1		Размеры, mm																				
	Высота подъема, m	Грузоподъем- ность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2	
			16	16/2.5																			
			L1																				
MT202	H4	21	500	1026	1090	467	441	107	92	18.5	80	380	618 680 ⁽²⁾	325	53.5 118 ⁽²⁾	57.5	128.5	34	172 226 ⁽¹⁾	555	36	M20	17
	H5	28		1086	1153	492	491	127	97														
	H6	37		1226	1290	567	641	207	92														
	H7	42		1306	1373	602	711	237	97														
MT305	H4	20	1000	1086	1153	492	491	115	95	18.5	80	380	618 680 ⁽²⁾	325	53.5 118 ⁽²⁾	57.5	128.5	40	172 226 ⁽¹⁾	625	36	M20	17
	H5	27		1226	1290	567	641	195	90														
	H6	38		1426	1490	667	841	295	90														
	H7	42		1526	1590	712	931	335	95														
MT410	H5	26	2000	1325	1413	605	663	200	90	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	45	212 257 ⁽¹⁾	715	38	M24	21
	H6	34		1535	1623	710	873	302	90														
	H7	39		1640	1728	762	978	355	90														
	H8	47		1815	1903	850	1153	442	90														
	H9	52		1955	2043	920	1293	513	90														
	H10	60		2125	2213	1005	1463	598	90														
MT516	H5	25	3200	1535	1623	710	873	305	90	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	50	212 257 ⁽¹⁾	800	38	M24	21
	H6	32		1640	1728	762	978	355	90														
	H7	38		1815	1903	850	1153	442	90														
	H8	43		1955	2043	920	1293	513	90														
	H9	49		2125	2213	1005	1463	598	90														
MT625	H2	9	5000	1168	1174	507	393	68	78	25.5	100	540	880 960 ⁽²⁾	475	80.5 165 ⁽²⁾	84.5	186.5	56	266	890	56	M27	25
	H3	14		1328	1334	587	553	148	78														
	H4	17		1488	1494	667	713	178	128														
	H5	23		1588	1594	717	813	228	128														
	H6	30		1778	1784	812	1003	323	128														
	H7	35		1963	1969	905	1188	414	128														
	H8	40		2128	2134	987	1353	498	128														
	H9	46		2288	2294	1067	1513	578	128														
	H10	54		2538	2544	1192	1763	703	128														
	MT740	H2		8	8000	1168	1174	507	393														
H3		12	1328	1334		587	553	148	78														
H4		17	1488	1494		667	713	178	128														
H5		23	1703	1709		775	928	285	128														
H6		29	1918	1924		882	1143	392	128														
H7		35	2128	2134		987	1353	498	128														
H8		40	2288	2294		1067	1513	578	128														
H9		47	2538	2544		1192	1763	703	128														
H10		52	2728	2734		1287	1953	798	128														

Тип	Полиспаст 2/1		Скорость подъема, м/мин					
	Высота подъема, м	Грузоподъемность, kg	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
MT202	H1	6	500	100	117	-	-	
	H2	10		105	122	-	-	
	H3	14		110	127	-	-	
	H4	21		123	140	226	272	
	H5	28		132	157	244	290	
	H6	37		260	304	251	297	
	H7	42		280	324	274	320	
MT305	H1	6	1000	120	144	-	-	
	H2	10		127	149	-	-	
	H3	13		136	158	-	-	
	H4	20		148	170	272	315	
	H5	27		160	182	287	330	
	H6	38		315	337	315	337	
	H7	42		335	357	335	357	
MT410	H1	5.5	2000	220	263	-	-	
	H2	9		235	278	-	-	
	H3	12		255	298	-	-	
	H4	20		290	333	-	-	
	H5	26		310	353	535	541	
	H6	34		595	655	595	655	
	H7	39		615	675	615	675	
	H8	47		650	710	650	710	
	H9	52		685	745	685	745	
	H10	60		720	780	720	780	
MT516	H1	5.5	3200	250	260	315	-	-
	H2	9		265	275	330	-	-
	H3	12		285	295	345	-	-
	H4	18		320	330	385	-	-
	H5	25		340	350	405	600	660
	H6	32		620	660	620	620	660
	H7	38		655	695	655	655	695
	H8	43		690	730	690	690	730
	H9	49		720	760	720	720	760

Тип	Полиспаст 2/1		Грузоподъем- ность, kg	Скорость подъема, m/min					
	Высота подъема, m			8	12	8/2	12/2	16	16/2.5
				Вес, kg					
MT625	H1	4.5	5000	430	490	-	-		
	H2	8		455	515	-	-		
	H3	11		480	540	-	-		
	H4	17		535	595	890	895		
	H5	23		590	650	920	925		
	H6	30		660	720	970	975		
	H7	35		850	910	1025	1030		
	H8	40		895	955	1055	1060		
	H9	46		1030	1060	1100	1105		
	H10	54		1100	1160	1170	1175		
	H11	60		1155	1215	1225	1230		
MT740	H2	8	8000	725	785	785	790		
	H3	12		765	825	825	830		
	H4	17		830	890	890	895		
	H5	23		885	945	945	950		
	H6	29		935	995	995	1000		
	H7	35		995	1055	1055	1060		
	H8	40		1040	1100	1100	1105		
	H9	47		1110	1170	1170	1175		
	H10	52		1165	1225	1225	1230		
	MT750	H2		8	10000	760	820	820	825
H3		12	800	860		860	865		
H4		17	870	930		930	935		
H5		23	930	990		990	995		
H6		29	980	1040		1040	1045		
H7		35	1045	1100		1100	1105		
H8		40	1090	1150		1150	1155		
H9		47	1165	1225		1225	1230		
H10		52	1225	1285		1285	1290		

Тип	Полиспаст 2/1		Скорость			
	Высота подъема, м		подъема, м/мин			
			6	9	6/1.5	9/1.5
			Грузоподъемность, kg			
MT763	H2	8				
	H3	12				
	H4	17				
	H5	23				
	H6	29				
	H7	35				
	H8	40				
	H9	47				
	H10	52				

Тип	Полиспаст 2/1		Скорость			
	Высота подъема, м		подъема, м/мин			
			4	6	4/1	6/1
			Грузоподъемность, kg			
MT780	H3	24				
	H4	34				
	H5	46				
	H6	58				
	H7	70				
	H8	80				
	H9	94				
	H10	104				
			Вес, kg			
			840	900		
			915	975		
			975	1035		
			1030	1095		
			1100	1160		
			1155	1215		
			1225	1275		
			1285	-		