

Тип	Поліспаст 2/1		Розміри, мм																						
	Висота підйому, m	Вантажопідйомність, kg	Швидкість підйому m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	B	B1	B2	B3	B4	B5	e	C	D	
			8/12	8/2																					12/2
			L1																						
T102...	H4	18	500	978	1018	452	450	55	192	415	225	865	46	148	277	33	90... 110	465 492 (1)	300 365 (2)	94... 54	245... 305	34	18	930	120
	H5	24		1138	1178	532	610	55	272			1025						557 (3)	245... 305						
	H6	30		1226	1290	567	550	89	214	415	225	965	80	148	331	33	90... 110	580 506 (1)	380 442 (2)	94... 54	245... 305	34	22	1025	120
	H7	36		1306	1373	602	620	110	228			1035						568 (3)	245... 305						
T103...	H4	18	1000	1114	1154	512	570	75	231	415	225	985	70	200	277	33	90... 110	465 492 (1)	300 365 (2)	94... 54	245... 305	40	18	995	120
	H5	24		1314	1354	612	770	149	332			1185						557 (3)	245... 305						
	H6	30		1426	1490	667	750	90	312	415	225	1165	80	200	331	33	90... 110	575 582 (1)	430 508 (2)	94... 54	245... 305	40	22	1085	120
	H7	36		1526	1593	712	840	110	338			1255						760 (3)	245... 305						
T104...	H4	18	2000	1226	1290	567	550	90	212	536	280	1086	80	200	368	37	130... 150	580 506 (1)	380 442 (2)	125... 105	270... 335	45	22	1225	175
	H5	24		1426	1490	667	750	90	312			1286						568 (3)	270... 335						

	H6	30		1535	1623	710	800	88	346	536	280	1336	90	200	410	37	130...	675 682 (1)	430 508 (2)	125...	270...	45	26	1300	175
	H7	36		1640	1728	762	905	75	398			1441					150	760 (3)	105	335					
T105...	H4	18	3200	1306	1373	602	620	110	226	536	280	1156	80	200	360	37	130...	580 606 (1)	380 442 (2)	125...	270...	50	22	1310	175
	H5	24		1526	1593	712	840	110	336			1376					150	668 (3)	105	335					
	H6	30		1640	1728	762	905	75	398	536	280	1441	90	200	410	37	130...	675 682 (1)	430 508 (2)	125...	270...	50	26	1385	175
	H7	36		1815	1903	850	1080	75	436			1616					150	760 (3)	105	335					
T106...	H4	18	5000	1325	1413	605	590	124	193	536	280	1146	90	200	410	37	130...	675 682 (1)	430 508 (2)	125...	270...	56	26	1575	175
	H5	24		1535	1623	710	800	124	296			1356					150	760 (3)	105	335					
	H6	30		1815	1903	850	1080	124	399	1616	130...	765 845 (3)	470 550 (2)	125...	270...	56	38	1600	175						
	H7	36		1963	1969	905	1095	99	462	536										280	1631	100	200	540	37
T107...	H2	9	8000	1133	1168	507	630	77	82	595	310	1225	100	230	540	30	130...	765 845 (3)	470 550 (2)	145...	300...	71	38	1800	210
	H3	12		1293	1328	587	780	118	123			1375													
	H4	18		1453	1488	667	940	78	242			1535													
	H5	24		1668	1703	775	1155	78	350			1750													
	H6	30		1883	1918	882	1370	78	457			1965													
	H7	36		2093	2128	987	1580	78	562			2175													

Тип	Поліспаст 2/1																								
	Висота підйому, m	Вантажопідйомність, kg	Швидкість підйому m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	B	B1	B2	B3	B4	B5	e	C	D	
			16	16/2.5																					
			L1																						
T102...	H6	30	500	1226	1290	567	550	89	214	415	225	965	80	148	331	33	90...110	580606	380442	94...54	245...305	34	22	1025	120
	H7	36		1306	1373	602	620	110	228			1035						668(3)	(2)						
T103...	H5	24	1000	1226	1290	567	610	90	212	415	225	1025	80	148	331	33	130...150	580606	380442	94...54	245...305	40	22	1085	120
	H6	30		1426	1490	667	750	90	312			1165						(1)668	(2)						
	H7	36		1526	1593	712	840	110	338			1255						(3)							
T104...	H5	24	2000	1325	1413	605	650	75	242	536	280	1186	90	200	410	37	130...150	675682	430508	125...105	270...335	45	26	1300	175
	H6	30		1535	1623	710	800	88	346			1336						(1)508	(2)						
	H7	36		1640	1728	762	905	75	398			1441						(3)							
T105...	H4	18	3200	1325	1413	605	650	75	242	536	280	1186	90	200	410	37	130...150	675682	430508	125...105	270...335	50	26	1385	175
	H5	24		1535	1623	710	860	75	347			1396						(1)508							
	H6	30		1640	1728	762	905	75	398			1441						(2)							
	H7	36		1815	1903	850	1080	75	436			1616						(3)							
T106...	H4	18	5000	1488	1494	667	690	94	230	536	280	1226	100	200	540	37	130...150	765845	470550	125...105	270...335	56	38	1600	175
	H5	24		1588	1594	717	790	94	280			1326						(3)	(2)						
	H6	30		1778	1784	812	960	94	330			1496													
	H7	36		1963	1969	905	1095	99	462			1631													
T107...	H2	9	8000	1133	1168	507	630	77	82	595	310	1225	100	230	540	30	130...150	765845(3)	470550(2)	145...125	300...365	71	38	1800	210
	H3	12		1293	1328	587	780	118	123			1375													
	H4	18		1453	1488	667	940	78	242			1535													
	H5	24		1668	1703	775	1155	78	350			1750													
	H6	30		1883	1918	882	1370	78	457			1965													
	H7	36		2093	2128	987	1580	78	562			2175													

Тип	Поліспаст 2/1			Швидкість підйому, m/min					
	Висота підйому, m		Вантажопідйомність , kg	8	12	8/2	12/2	16	16/2.5
				Вага, кг					
T102...	H4	18	500	119		137		226	272
	H5	24		128		146		244	290
	H6	30		250		297		251	297
	H7	36		273		320		274	320
T103...	H4	18	1000	218		241		330	376
	H5	24		232		255		347	393
	H6	30		375		422		376	422
	H7	36		395		442		396	442
T104...	H4	18	2000	459		506		664	719
	H5	24		484		631		684	739
	H6	30		691		786		731	786
	H7	36		711		806		751	806
T105...	H4	18	3200	504	514	569		686	741
	H5	24		534	544	599		731	786
	H6	30		721	761	816		761	816
	H7	36		746	786	841		786	841
T106...	H4	18	5000	656		751		998	1003
	H5	24		706		801		1018	1023
	H6	30		802		897		1038	1043
	H7	36		1040		1100		1100	1105
T107...	H2	9	8000	988		1048		1048	1053
	H3	12		1036		1096		1096	1101
	H4	18		1108		1168		1168	1173
	H5	24		1175		1235		1235	1240
	H6	30		1244		1304		1304	1309
	H7	36		1314		1374		1374	1379