




Канатный электротельфер МТ Передвигаемый двухрельсовой тележкой, полиспаст 2/1

(1) с микроподъемом

(2) с ограничителем груза

Тип	Полиспаст 2/1			Размеры, mm																								
	Высота подъема, m		Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	H1	H2	B	B1	B2	B3	B4	B5	B6	B7	B8	B9	C	e	D	
				8 12	8/2 12/2																							
				L1																								
MT305	H3	13	1000	914	954	412	429	98	92	629	814	70	477	43... 58	1000	560 625 ⁽²⁾	158.5	239.5 302 ⁽²⁾	295	455... 510	40	165 198 ⁽¹⁾	50	50	615	50	160	
	H4	20		1114	1154	512	629	198	92	829	1014																	1214
	H5	27		1314	1354	612	829	298	92	1029	1214																	
	H6	38		1426	1490	667	841	295	90	1041	1226																	
	H7	42		1526	1593	712	931	335	95	1131	1316																	
MT410	H1	5.5	2000	816	880	362	231	40	40	431	616	80	540	43... 58	1000	618 680 ⁽²⁾	186	250 314.5 ⁽²⁾	325	455... 510	45	172 220 ⁽¹⁾	50	50	705	36	160	
	H2	9		926	990	417	341	95	40	541	726																	
	H3	12		1026	1090	467	441	95	90	641	826																	
	H4	20		1226	1290	567	641	195	90	841	1026																	
	H5	26		1426	1490	667	841	295	90	1041	1226																	
	H6	34		1535	1623	710	873	302	90	1073	1258	90	626	43... 58	1000	752 830 ⁽²⁾	229	294 365.5 ⁽²⁾	390	455... 510	45	212 257 ⁽¹⁾	50	50	705	38	160	
	H7	39		1640	1728	762	978	355	90	1178	1363																	
	H8	47		1815	1903	850	1153	443	90	1353	1538																	
	H9	52		1955	2043	920	1293	513	90	1493	1678																	
	H10	60		2125	2213	1005	1463	598	90	1663	1848																	
MT516	H1	5.5	3200	856	923	377	261	50	45	461	646	80	540	43... 58	1000	618 680 ⁽²⁾	186	250 314.5 ⁽²⁾	325	455... 510	50	172 226 ⁽¹⁾	50	50	790	34	160	
	H2	9		976	1043	437	381	110	45	581	766																	
	H3	12		1086	1153	492	491	115	95	691	876																	
	H4	18		1306	1373	602	711	225	95	911	1096																	
	H5	25		1526	1593	712	931	335	95	1131	1316																	
	H6	32		1640	1728	762	978	355	90	1178	1363	90	626	43... 58	1000	752 830 ⁽²⁾	229	294 365.5 ⁽²⁾	390	455... 510	50	212 257 ⁽¹⁾	50	50	790	38	160	
	H7	38		1815	1903	850	1153	443	90	1353	1538																	
	H8	43		1955	2043	920	1293	513	90	1493	1678																	
	H9	49		2125	2213	1005	1463	598	90	1663	1848																	
MT625	H1	4.5	5000	905	993	395	243	40	38	443	628	90	626	43... 58	1000	752 830 ⁽²⁾	229	294 365.5 ⁽²⁾	390	455... 510	56	212 257 ⁽¹⁾	50	50	880	37	160	
	H2	8		1010	1098	448	348	92	38	548	733																	
	H3	11		1115	1203	500	453	95	88	653	838																	
	H4	17		1325	1413	605	663	200	88	863	1048																	
	H5	23		1535	1623	710	873	305	88	1073	1258																	
	H6	30		1815	1903	850	1153	445	88	1353	1538																	
	H7	35		1955	2213	920	1293	515	88	1493	1678																	
	H8	40		2125	2200	1005	1463	600	88	1663	1848																	

[illegible]

Тип	Полиспаст 2/1		Размеры, mm																								
	Высота подъема, m	Грузоподъем- ность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	H1	H2	B	B1	B2	B3	B4	B5	B6	B7	B8	B9	C	e	D	
			8 12	8/2 12/2																							
			L1																								
MT740	H2	8	8000	1133	1168	507	393	68	78	673	903	100	730	60... 75	1200	880 960 ⁽²⁾	271	369 453.5 ⁽²⁾	475	525.. 573	71	266	55	60	1070	56	200
	H3	12		1293	1328	587	553	148	78	833	1063																
	H4	17		1453	1488	667	713	178	128	993	123																
	H5	23		1668	1703	775	928	285	128	1208	1438																
	H6	29		1883	1918	882	1143	392	128	1423	1653																
	H7	35		2093	2128	987	1353	498	128	1633	1863																
	H8	40		2253	2288	1067	1513	578	128	1793	2023																
	H9	47		2503	2538	1192	1763	703	128	2043	2273																
	H10	52		2693	2728	1287	1953	798	128	2233	2463																
MT750	H2	8	10000	1168	1174	507	393	68	78	673	903	100	738	60... 75	1200	888 968 ⁽²⁾	275	373 457.5 ⁽²⁾	475	525.. 573	71	266	55	60	1070	56	200
	H3	12		1328	1334	587	553	148	78	833	1063																
	H4	17		1488	1494	667	713	178	128	993	123																
	H5	23		1703	1709	775	928	285	128	1208	1438																
	H6	29		1918	1924	882	1143	392	128	1423	1653																
	H7	35		2128	2134	987	1353	498	128	1663	1863																
	H8	40		2288	2294	1067	1513	578	128	1793	2023																
	H9	47		2538	2544	1192	1763	703	128	2043	2273																
	H10	52		2728	2734	1287	1953	798	128	2233	2463																

Тип	Полиспаст 2/1		Размеры, mm																								
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	H1	H2	B	B1	B2	B3	B4	B5	B6	B7	B8	B9	C	e	D	
			6	9																							
			6/1.5	9/1.5																							
L1																											
MT763	H2	8	12500	1233	1239	572	393	68	78	673	903	100	738	60...75	1200	888 968 ⁽²⁾	275	373 457.5 ⁽²⁾	475	525.. 573	71	266	55	60	1070	56	200
	H3	12		1293	1299	652	553	148	78	833	1063																
	H4	17		1553	1559	732	713	178	128	993	123																
	H5	23		1768	1764	840	928	285	128	1208	1438																
	H6	29		1983	1989	947	1143	392	128	1423	1653																
	H7	35		2193	2199	1052	1353	498	128	1663	1863																
	H8	40		2353	2359	1132	1513	578	128	1793	2023																
	H9	47		2603	2609	1257	1763	703	128	2043	2273																
	H10	52		2793	2799	1352	1953	798	128	2233	2463																

Тип	Полиспаст 2/1		Размеры, mm																										
	Высота подъема, m	Грузоподъем- ность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	H1	H2	B	B1	B2	B3	B4	B5	B6	B7	B8	B9	C	e	D			
			4 6	4/1 6/1																									
			L1																										
MT780	H3	12	16000	1437	1443	652	553	148	78	833	1063	100	746	60... 75	1200	892 972 ⁽²⁾	279	377 457,5 ⁽²⁾	475	525.. 573	71	266	55	60	1070	56	200		
	H4	17		1597	1603	732	713	178	128	993	123																	833	1063
	H5	23		1812	1818	840	928	285	128	1208	1438																	833	1063
	H6	29		2027	2033	947	1143	392	128	1423	1653																	833	1063
	H7	35		2237	2243	1052	1353	498	128	1663	1863																	833	1063
	H8	40		2397	2403	1132	1513	578	128	1793	2023																	833	1063
	H9	47		2647	2653	1257	1763	703	128	2043	2273																	833	1063
	H10	52		2837	-	1352	1953	798	128	2233	2463																	833	1063